IEEE *Xplore* ᴸᴾ
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Fri, 3 Mar 2006, 11:50:20 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

Recent Search Queries

#1   (((co-process <or> coprocess <or> co-processing <or> coprocessing <or> co-processor <or> coprocessor) <near/4> ((update <or> updating <or> write <or> writing) <near/4> (pc <or> (program <near/2> (count <or> counting <or> counter))) <near/4> (stack <or> stacks <or> stacking)))<in>metadata)

#2   (((co-process <or> coprocess <or> co-processing <or> coprocessing <or> co-processor <or> coprocessor) <near/4> ((update <or> updating <or> write <or> writing) <near/4> (pc <or> (program <near/2> (count <or> counting <or> counter))) <near/4> (stack <or> stacks <or> stacking)))<in>metadata)

#3   ((((co-process <or> coprocess <or> co-processing <or> coprocessing <or> co-processor <or> coprocessor) <sentence> ((update <or> updating <or> write <or> writing) <sentence> (pc <or> (program <near/2> (count <or> counting <or> counter))) <sentence> (stack <or> stacks <or> stacking))))<in>metadata)

#4   ((((co-process <or> coprocess <or> co-processing <or> coprocessing <or> co-processor <or> coprocessor) <paragraph> ((update <or> updating <or> write <or> writing) <paragraph> (pc <or> (program <near/2> (count <or> counting <or> counter))) <paragraph> (stack <or> stacks <or> stacking))))<in>metadata)

Help   Contact Us   Privacy & .

© Copyright 2006 IEEE —

Indexed by
▥ Inspec˙

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	378	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:15
S2	243	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:19
S3	19	emulat$3 near4 co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:47
S4	4	(("5768613") or ("4870614") or ("5727227") or ("5923892")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S5	101	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S6	68	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:49
S7	199	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:56
S8	21	((712/34).CCLS.) and emulation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:57
S9	0	(co?processor) near4 (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:31
S10	0	(co?processor) same (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32

S11	28	(co?processor) near4 load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32
S12	0	(co?processor) same (data adj1 deadlock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:33
S13	4	(co?processor) same deadlock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:24
S14	27	(co?processor) same (shared near4 resource$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:44
S15	0	(co?processor) same (shared near4 resource$1) same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S16	2	(co?processor) same resource$1 same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S17	6	(("5923892") or ("4219873") or ("5109514") or ("5727227") or ("4774625") or ("4695945")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:20
S18	497	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S19	311	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S20	113	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S21	83	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13

EAST Search History

S22	264	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:14
S23	0	(interrupt near4 vector$1) near4 (instruction adj1 (sets or architectures)) near4 co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:29
S24	12	(interrupt near4 vector$1) near4 co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:18
S25	13	(interrupt near4 vector$1) with co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:20
S26	21	(interrupt near4 vector$1) same co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:25
S27	0	(interrupt near4 vector$1) near4 (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S28	2	(interrupt near4 vector$1) with (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S29	11	(interrupt near4 vector$1) same (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S30	22	(interrupt with vector$1) same co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S31	24	(interrupt same vector$1) same co?process$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S32	3972	(interrupt near4 vector$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
S33	3269	(interrupt adj1 vector$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30

EAST Search History

S34	140	(interrupt adj1 vector$1) near4 handler$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
S35	529	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S36	327	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S37	117	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S38	86	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 10:52
S39	294	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:13
S40	1	(co?process$2) near4 (updat$3 near4 (PC or (program adj1 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:56
S41	1	(co?process$2) with (updat$3 near4 (PC or (program adj1 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S42	1	(co?process$2) with (updat$3 with ((PC or (program adj1 count$3)) near4 stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S43	1	(co?process$2) with (updat$3 with ((PC or (program adj1 count$3)) with stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:34
S44	1	(co?process$2) same (updat$3 with ((PC or (program adj1 count$3)) with stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:35

S45	1	(co?process$2) same (updat$3 same ((PC or (program adj1 count$3)) with stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:35
S46	2	(co?process$2) same (updat$3 same ((PC or (program adj1 count$3)) same stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:40
S47	0	((co?process$2) same (updat$3 same ((PC or (program adj1 count$3)) same stack$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:36
S48	2	((co?process$2) and (updat$3 and ((PC or (program adj1 count$3)) and stack$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:36
S49	0	(co?process$2) near4 (writ$3 near4 (PC or (program adj1 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S50	2	(co?process$2) same (updat$3 same ((PC or (program adj2 count$3)) same stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S51	2	(co?process$2) same (updat$3 same ((PC or (program near4 count$3)) same stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S52	0	(co?process$2) near4 (writ$3 near4 (PC or (program adj2 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S53	0	(co?process$2) same (writ$3 near4 ((PC or (program adj2 count$3)) near4 stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:41
S54	0	(co?process$2) same (writ$3 with ((PC or (program adj2 count$3)) near4 stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S55	0	(co?process$2) same (writ$3 with ((PC or (program adj2 count$3)) with stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S56	2	(co?process$2) same (writ$3 same ((PC or (program adj2 count$3)) with stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42

EAST Search History

S57	5	(co?process$2) same (writ$3 same ((PC or (program adj2 count$3)) same stack$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:42
S58	3	(co?process$2) near4 ((PC or (program adj1 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S59	3	(co?process$2) with ((PC or (program adj1 count$3)) near4 stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S60	3	(co?process$2) with ((PC or (program adj1 count$3)) with stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:57
S61	8	(co?process$2) same ((PC or (program adj1 count$3)) with stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:59
S62	11	(co?process$2) same ((PC or (program adj1 count$3)) same stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 11:59
S63	8	(co?process$2) same ((PC or (program near4 count$3)) with stack$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/03 12:00